

fecszz_m.041306e


22-Mar-2010

code revision: 3313


/haitasj/manuscripts/errorMonitoringBySpikeSynchronyInSupplementaryEyeField

Electrodes	Units	Alignments	Trial Types
DSP01	a,b	Saccade_	GOCorrect
DSP02	a		NOGOWrong
DSP03	a,b		


fecszz_m.041306e
 Pair: 01a, 01b
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms




fecszz_m.041306e
 Pair: 01a, 01b
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 01a, 02a
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 01a, 02a
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 01a, 03a
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms




fecszz_m.041306e
 Pair: 01a, 03a
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 01a, 03b
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 01a, 03b
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms






fecszz_m.041306e
 Pair: 01b, 02a
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 01b, 02a
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 01b, 03a
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms




fecszz_m.041306e
 Pair: 01b, 03a
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms







fecszz_m.041306e
 Pair: 01b, 03b
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms






fecszz_m.041306e
 Pair: 01b, 03b
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms




fecszz_m.041306e
 Pair: 02a, 03a
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms




fecszz_m.041306e
 Pair: 02a, 03a
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms




fecszz_m.041306e
 Pair: 02a, 03b
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms



fecsz_m.041306e
 Pair: 02a, 03b
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms



fecszz_m.041306e
 Pair: 03a, 03b
 Trial Type: GOCorrect
 Number of Trials: 221
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: +/- 130ms



fecszz_m.041306e
 Pair: 03a, 03b
 Trial Type: NOGOWrong
 Number of Trials: 21
 Target Locations: 1 2
 Bin Width: 13ms
 Coin Width: ± 130 ms

