

# fecsez\_m.012006c

22-Mar-2010

code revision: 3313

/haitasj/manuscripts/errorMonitoringBySpikeSynchronyInSupplementaryEyeField

## Electrodes

DSP01

## Units

a,b,c

## Alignments


Saccade\_

## Trial Types


GOCorrect

NOGOWrong


fecsez\_m.012006c  
 Pair: 01a, 01b  
 Trial Type: GOCorrect  
 Number of Trials: 208  
 Target Locations: 1 2  
 Bin Width: 13ms  
 Coin Width:  $\pm 130$ ms




fecsez\_m.012006c  
 Pair: 01a, 01b  
 Trial Type: NOGOWrong  
 Number of Trials: 19  
 Target Locations: 1 2  
 Bin Width: 13ms  
 Coin Width:  $\pm 130$ ms




fecsez\_m.012006c  
 Pair: 01a, 01c  
 Trial Type: GOCorrect  
 Number of Trials: 208  
 Target Locations: 1 2  
 Bin Width: 13ms  
 Coin Width: +/- 130ms



fecsez\_m.012006c  
 Pair: 01a, 01c  
 Trial Type: NOGOWrong  
 Number of Trials: 19  
 Target Locations: 1 2  
 Bin Width: 13ms  
 Coin Width: +/- 130ms



fecsez\_m.012006c  
 Pair: 01b, 01c  
 Trial Type: GOCorrect  
 Number of Trials: 208  
 Target Locations: 1 2  
 Bin Width: 13ms  
 Coin Width:  $\pm 130$ ms



fecsez\_m.012006c  
 Pair: 01b, 01c  
 Trial Type: NOGOWrong  
 Number of Trials: 19  
 Target Locations: 1 2  
 Bin Width: 13ms  
 Coin Width:  $\pm 130$ ms

