

fecsez_m.012006c

31-Mar-2010

code revision: 3369

/haitasj/manuscripts/errorMonitoringBySpikeSynchronyInSupplementaryEyeField

Electrodes

DSP01

Units

a,b,c

Alignments

Saccade_


Trial Types

GOCorrect


NOGOWrong

fecsez_m.012006c
Pair: 01a, 01b

Trial Type: GOCorrect
Number of Trials: 208
Bin Width: 5ms
Coin Width: +/- 50ms
Covariogram Peak: 0.28





Trial Type: NOGOWrong
Number of Trials: 19
Bin Width: 5ms
Coin Width: +/- 50ms
Covariogram Peak: 0.526



fecsez_m.012006c
Pair: 01a, 01c


Trial Type: GOCorrect
Number of Trials: 208
Bin Width: 5ms
Coin Width: +/- 50ms
Covariogram Peak: 0.104

Trial Type: NOGOWrong
Number of Trials: 19
Bin Width: 5ms
Coin Width: +/- 50ms
Covariogram Peak: 0.285



fecsez_m.012006c
Pair: 01b, 01c

Trial Type: GOCorrect
Number of Trials: 208
Bin Width: 5ms
Coin Width: +/- 50ms
Covariogram Peak: 0.129



Trial Type: NOGOWrong
Number of Trials: 19
Bin Width: 5ms
Coin Width: +/- 50ms
Covariogram Peak: 0.23

