

# fecsez\_m.012006c

31-Mar-2010

code revision: 3372

/haitasj/manuscripts/errorMonitoringBySpikeSynchronyInSupplementaryEyeField

## Electrodes

DSP01

## Units

a,b,c

## Alignments

Saccade\_

## Trial Types

GOCorrect

NOGOWrong

fecsez\_m.012006c






Pair: 01a, 01b

PSTCH Comparison First Crossing = 7.5 ms

Trial Type: GOCorrect  
Number of Trials: 208  
Bin Width: 5ms  
Coin Width: +/- 50ms  
Covariogram Peak: 0.28

Trial Type: NOGOWrong  
Number of Trials: 19  
Bin Width: 5ms  
Coin Width: +/- 50ms  
Covariogram Peak: 0.526

PSTCH Comparison



Pair: 01a, 01c

Trial Type: NOGOWrong  
Number of Trials: 19  
Bin Width: 5ms  
Coin Width: +/- 50ms  
Covariogram Peak: 0.285



fecsez\_m.012006c  
Pair: 01b, 01c

PSTCH Comparison First Crossing = 137.5 ms

Trial Type: GOCorrect  
Number of Trials: 208  
Bin Width: 5ms  
Coin Width: +/- 50ms  
Covariogram Peak: 0.129

Trial Type: NOGOWrong  
Number of Trials: 19  
Bin Width: 5ms  
Coin Width: +/- 50ms  
Covariogram Peak: 0.23

PSTCH Comparison

